Contents to volume 257

Review Letters

Advances in Na^+,K^+-ATPase studies: from protein to gene and back to protein (FEB 07692) *N.E. Broude, N.N. Modyanov, G.S. Monastyrskaya, E.D. Sverdlov* 1

Lipid lateral diffusion and membrane organization (FEB 07673) *J.-F. Tocanne, L. Dupou-Cézanne, A. Lopez, J.-F. Tournier* 10

Research Letters

The selectivity filter of a ligand-gated ion channel: The helix-M2 model of the ion channel of the nicotinic acetylcholine receptor (FEB 07577) *F. Hucho, R. Hilgenfeld* 17

Immunoaffinity isolation of Na,K-ATPase α3 isoform from pig kidney (FEB 07607) *E.A. Arystarkhova, O.E. Lakhtina, N.B. Levina, N.N. Modyanov* 24

Identification of a specific receptor for interleukin-1 on rat bone marrow cells (FEB 07710) *K. Mizuno, S. Nakai, Y. Ohmoto, Y. Hirai* 27

Cloning and sequence analysis of cDNA for precursor of a crustacean hyperglycemic hormone (FEB 07713) *W. Weidemann, J. Gromoll, R. Keller* 31

Phorbol esters stimulate a phospholipase D-catalysed reaction with both ester- and ether-linked phospholipids in HeLa cells (FEB 07711) *C.S.T. Hii, Y.S. Kokke, W. Pruimboom, A.W. Murray* 35

Cyclic nucleotides and GTP analogues stimulate light-induced phosphorylation of octopus rhodopsin (FEB 07712) *M. Tsuda, T. Tsuda, H. Hirata* 38

Mössbauer study of red blood cells from patients with erythremia (FEB 07714) *M.I. Oshtrakh, V.A. Semionkin* 41

Alcohols selectively stimulate phospholipase D-mediated hydrolysis of phosphatidylethanolamine in NIH 3T3 cells (FEB 07716) *Z. Kiss, W.B. Anderson* 45

Presence of paf-acether in human thymus (FEB 07715) *P. Salem, Y. Denizot, C. Pitton, A. Dulioust, M.-J. Bossant, J. Benveniste and Y. Thomas* 49

In vitro interaction of mutagenic chromium(VI) with red blood cells (FEB 07718) *M. Branca, A. Dessi, H. Kozlowski, G. Micera, M.V. Serra* 52

Bacterial expression of human cysteine proteinase inhibitor stefin A (FEB 07717) *D. Fong, T. Kartasova, B.F. Sloane, M.M. Chan* 55

Monoclinic crystals of lignin peroxidase (FEB 07719) *T. Glumoff, K.H. Winterhalter, J.D.G. Smit* 59

11-*cis* retinal formation in the light catalyzed by a retinal-binding protein from the honeybee retina (FEB 07722) *C. Cugnoli, R. Mantovani, R. Fioravanti, I. Pepe* 63

Arachidonic acid evokes inositol phospholipid hydrolysis in astrocytes (FEB 07726) *S. Murphy, G. Welk* 68

Kinetic studies on the prenyl chain elongation by undecaprenyl diphosphate synthase with artificial substrate homologues (FEB 07723) *S. Ohnuma, T. Koyama, K. Ogura* 71

In vivo activity of the most proximal promoter of the human aldolase A gene and analysis of transcriptional control elements (FEB 07724) *P. Izzo, P. Costanzo, A. Lupo, E. Rippa, F. Salvatore* 75

The amino acid sequence of *Erythrina corallodendron* lectin and its homology with other legume lectins (FEB 07725) *R. Adar, M. Richardson, H. Lis, N. Sharon* 81

Site-directed mutagenesis of the FAD-binding histidine of 6-hydroxy-D-nicotine oxidase: Consequences on flavinylation and enzyme activity (FEB 07731) *L. Mauch, V. Bichler, R. Brandsch* 86

Prorenin is sorted into the regulated secretory pathway independent of its processing to renin in mouse pituitary AtT-20 cells (FEB 07728) *K. Nakayama, M. Nagahama, W.-S. Kim, K. Hatsuzawa, K. Hashiba and K. Murakami* 89

Spatial and temporal expression pattern of retinoic acid receptor genes during mouse bone development (FEB 07729) *S. Noji, T. Yamaai, E. Koyama, T. Nohno, S. Taniguchi* 93

Molecular cloning of cDNA for cholesterol 7α-hydroxylase from rat liver microsomes: Nucleotide sequence and expression (FEB 07730) *M. Noshiro, M. Nishimoto, K. Morohashi, K. Okuda* 97

Identification of sites on chromosomal protein HMG-I phosphorylated by casein kinase II (FEB 07732) *J. Palvimo, A. Linnala-Kankkunen* 104

Evidence for the identity of glutathione-dependent formaldehyde dehydrogenase and class III alcohol dehydrogenase (FEB 07693) *M. Koivusalo, M. Baumann, L. Uotila* 105

Prolonged ischemia differently affects phospholipase C acting against phosphatidylinositol and phosphatidylinositol 4,5-bisphosphate in brain subsynaptosomal fraction (FEB 07727) *J. Strosznajder* 110

High resolution ^{1}H NMR study of the solution structure of the S4 segment of the sodium channel protein (FEB 07740) *D. Mulvey, G.F. King, R.M. Cooke, D.G. Doak, T.S. Harvey, I.D. Campbell* 113

Defined monoclonal antibodies to *Escherichia coli* β-galactosidase as a tool for characterisation of recombinant expression products (FEB 07742) *M. Bröker, H.-P. Harthus* 118

Addition of ATP increases the apparent molecular mass of the multicatalytic proteinase, ingensin (FEB 07741) *S. Ishiura, Y. Nomura, T. Tsukahara, H. Sugita* 123

Expression of enzymatically active cloned strictosidine synthase from the higher plant *Rauvolfia serpentina* in *Escherichia coli* (FEB 07743) *T.M. Kutchan* 127

Influence of surface charge on the incorporation and orientation of cytochrome *c* oxidase in liposomes (FEB 07745) *D. Steverding, C. Thiel, B. Kadenbach, N. Capitanio, S. Papa* 131

Transforming growth factors (TGFα and TGFβ1) stimulate chondroitin sulfate and hyaluronate synthesis in cultured rat liver fat storing cells (FEB 07733) *M.G. Bachem, U. Riess, R. Melchior, K.-M. Sell, A.M. Gressner* 134

Short and long spacer sequences and other structural features of zinc binding sites in zinc enzymes (FEB 07735) *B.L. Vallee, D.S. Auld* 138

Polyamine addition to preparation media induces chromatin condensation, irreversibly at low ionic strength (FEB 07734) *P. Colson, C. Houssier* 141

^{1}H-NMR study of endothelin, sequence-specific assignment of the spectrum and a solution structure (FEB 07737) *V. Saudek, J. Hoflack, J.T. Pelton* 145

Solution conformation of endothelin determined by nuclear magnetic resonance and distance geometry (FEB 07738) *S. Endo, H. Inooka, Y. Ishibashi, C. Kitada, E. Mizuta, M. Fujino* 149

A ^{1}H NMR study of bovine cytochrome oxidase: Paramagnetically shifted resonances of haem *a* (FEB 07739) *Stephen E.J. Rigby, T.A. Alleyne, M.T. Wilson, G.R. Moore* 155

Association of higher molecular weight ribonucleoproteins of 7 S particle preparations with multimers of transcription factor IIIA (FEB 07746) *J. Coyer, J. Andersen, N. Delihas* 159

Photoactivation of rhodopsin and interaction with transducin in detergent micelles: Effect of 'doping' with steroid molecules (FEB 07747) *B. König, W. Welte, K.P. Hofmann* 163

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/89/$3.50 © 1989 Federation of European Biochemical Societies

The O_2^- generating oxidase activation of bovine neutrophils: Evidence for synergism of multiple cytosolic factors in a cell-free system (FEB 07749) *M.-C. Pilloud, J. Doussiere, P.V. Vignais* 167
The cold-induced denaturation of lactate dehydrogenase at subzero temperatures in the absence of perturbants (FEB 07736) *R.H.M. Hatley, F. Franks* 171
N-Formyl-methionyl-leucyl-phenylalanine induced accumulation of inositol phosphates indicates the presence of oligopeptide chemoattractant receptors on circulating human lymphocytes (FEB 07750) *T. Schubert, W.E. Müller* 174
Purification of GTP-binding proteins from bovine brain membranes: Identification of heterogeneity of the α-subunit of G_o proteins (FEB 07753) *I. Kobayashi, H. Shibasaki, K. Takahashi, S. Kikkawa, M. Ui, T. Katada* 177
Molecular cloning of the Na^+,K^+-ATPase α-subunit in developing brine shrimp and sequence comparison with higher organisms (FEB 07754) *L.A. Baxter-Lowe, J.Z. Guo, E.E. Bergstrom, L.E. Hokin* 181
Granulocyte/macrophage colony-stimulating factor primes human neutrophils for increased diacylglycerol generation in response to chemoattractant (FEB 07751) *S.R. Tyagi, E.F. Winton, J.D. Lambeth* 188
Recognition of functional regions in primary structures using a set of property patterns (FEB 07755) *P. Bork* 191

Correspondence

Comment: Polyamines and protein degradation (FEB 07720) *K.L. Manchester* 196
Reply: Polyamines and ATP-dependent protein breakdown (FEB 07721) *J.M. Fagan* 197

Notes to Authors 199

Erratum 201

Review Hypothesis

Participation of acid phospholipids in protein translocation across the bacterial cytoplasmic membrane (FEB 07748) *M.A. Nesmeyanova, M.V. Bogdanov* 203

Review Letters

Two different forms of endothelin receptors in rat lung (FEB 07752) *Y. Masuda, H. Miyazaki, M. Kondoh, H. Watanabe, M. Yanagisawa, T. Masaki, K. Murakami* 208
Thyroid hormone stimulates expression of 6-phosphofructo-2-kinase in rat liver (FEB 07744) *S.R. Wall, M.-F. van den Hove, K.M. Crepin, L. Hue, G.G. Rousseau* 211
Expression of liver-specific genes coding for plasma proteins in protein deficiency (FEB 07757) *G. Perozzi, E. Mengheri, R. Faraonio, S. Gaetani* 215
Identification of the *N*-tosyl-L-phenylalanyl chloromethylketone modification site in *Thermus thermophilus* elongation factor Tu (FEB 07758) *M.E. Peter, J. Brockmöller, J. Jonák, M. Sprinzl* 219
Raison d'être and structural model for the B-Z transition of poly d(G-C)*poly d(G-C) (FEB 07756) *W. Saenger, U. Heinemann* 223
Altered patterns of protein phosphorylation in articular chondrocytes treated with interleukin-1 or synovial cytokines (FEB 07760) *K.I. Hulkower, H.I. Georgescu, C.H. Evans* 228
The histones of *Caenorhabditis elegans:* no evidence of stage-specific isoforms: An overview (FEB 07759) *J.R. Vanfleteren, S.M. Van Bun, J.J. Van Beeumen* 233
An antiserum to the extracellular domain of the Alzheimer amyloid precursor recognizes 70 and 88 kDa brain proteins (FEB 07761) *J. Simpson, C.M. Bladon, C.M. Yates, A.J. Harmar* 238
Glycosylated forms of nuclear lamins (FEB 07762) *A. Ferraro, M. Eufemi, L. Cervoni, R. Marinetti, C. Turano* 241
Prothymosin α is an evolutionary conserved protein covalently linked to a small RNA (FEB 07766) *T. Makarova, N. Grebenshikov, C. Egorov, A. Vartapetian, A. Bogdanov* 247
Secretory protein synthesis in *Chironomus* salivary gland cells is not coupled with protein translocation across endoplasmic reticulum membranes: Electron microscopic evidence (FEB 07763) *E.V. Kiseleva* 251
Alkaloid homoharringtonine inhibits polypeptide chain elongation on human ribosomes on the step of peptide bond formation (FEB 07764) *R.M. Tujebajeva, D.M. Graifer, G.G. Karpova, N.A. Ajtkhozhina* 254
Translational active mRNPs from rabbit reticulocytes are qualitatively different from free mRNA in their translatability in cell-free system (FEB 07765) *W.B. Minich, N.L. Korneyeva, L.P. Ovchinnikov* 257
Characterization of two different peptides from the venom of the scorpion *Buthus sindicus* (FEB 07767) *A. Fazal, O.U. Beg, J. Shafqat, Z.H. Zaidi, H. Jörnvall* 260
Photocrosslinking demonstrates proximity of a 34 kDa membrane protein to different portions of preprolactin during translocation through the endoplasmic reticulum (FEB 07768) *M. Wiedmann, D. Goerlich, E. Hartmann, T.V. Kurzchalia, T.A. Rapoport* 263
Proteolytic activity of the plum pox potyvirus NI_a-protein on excess of natural and artificial substrates in *Escherichia coli* (FEB 07778) *J.A. García, J.L. Riechmann, M.T. Martín, S. Laín* 269
Molecular organization of genes constituting the virulence determinant on the *Salmonella typhimurium* 96 kilobase pair plasmid (FEB 07769) *S. Taira, M. Rhen* 274
Epitope mapping of the monoclonal antibody FAC2 on the apoprotein of CPa-1 in photosystem II (FEB 07770) *L.K. Frankel, T.M. Bricker* 279
A luminescence probe for metallothionein in liver tissue: emission intensity measured directly from copper metallothionein induced in rat liver (FEB 07771) *M.J. Stillman, Z. Gasyna, A.J. Zelazowski* 283
Tyrphostins inhibit the epidermal growth factor receptor-mediated breakdown of phosphoinositides (FEB 07772) *I. Posner, A. Gazit, C. Gilon, A. Levitzki* 287
Affinity chromatography of the bovine cerebral cortex A_1 adenosine receptor (FEB 07773) *M.E. Olah, K.A. Jacobson, G.L. Stiles* 292
Heat-stable translational inhibitor from rabbit reticulocyte lysates (FEB 07774) *F. Gaitero, E. Mendez, C. de Haro* 297
Amino acid sequence of cinnamomin, a new member of the elicitin family, and its comparison to cryptogein and capsicein (FEB 07775) *J.-C. Huet, J.-C. Pernollet* 302
A chemically transformed rat fibroblast cell line expresses high levels of oncomodulin (FEB 07776) *E.W. Sommer, J.K. Blum, M.C. Berger, M.W. Berchtold* 307
Point mutations in conserved amino acid residues within the C-terminal domain of HIV-1 reverse transcriptase specifically repress RNase H function (FEB 07777) *O. Schatz, F.V. Cromme, F. Grüninger-Leitch, S.F.J. Le Grice* 311
Conserved residues of tumour necrosis factor and lymphotoxin constitute the framework of the trimeric structure (FEB 07779) *J. Tavernier, X. van Ostade, G. Hauquier, T. Prange, I. Lasters, M. de Maeyer, A. Lewit-Bentley, R. Fourme* 315
Amino acid sequences of cytotoxin-like basic proteins derived from cobra venoms (FEB 07780) *S. Inoue, K. Okumura, M. Tsujino, K. Ohkura, K. Ikeda, M. Takechi, Y. Tanaka, K. Hayashi* 319
Acidic and basic fibroblast growth factors similarly regulate the rate of biosynthesis of rat astroblast proteins (FEB 07782) *C. Loret, P. Laeng, M. Sensenbrenner, G. Labourdette* 324
Effect of denervation on the androgen-induced expression of actin and CPK mRNAs in the levator ani muscle of the rat (FEB 07783) *G. Boissonneault, R.R. Tremblay* 329

Ras protein expression is developmentally regulated in embryonic chicken brain (FEB 07786) *F.-J. Klinz* 333
Insulin stimulates the translocation of protein kinase C in rat adipocytes (FEB 07787) *T. Ishizuka, D.R. Cooper, R.V. Farese* 337
Tight binding dopamine reuptake inhibitors as cocaine antagonists: A strategy for drug development (FEB 07789) *R.B. Rothman, A. Mele, A.A. Reid, H. Akunne, N. Greig, A. Thurkauf, K.C. Rice, A. Pert* 341
Blockade of ADP-induced Ca^{2+}-signal and platelet aggregation by lipoxygenase inhibitors (FEB 07788) *M.L. Borin, V.G. Pinelis, M.A. Ivanova, Yu.V. Kudinov, O.A. Azizova, C.M. Markov, B.I. Khodorov* 345
GPC phosphodiesterase and phosphomonoesterase activities of renal cortex and medulla of control, antidiuresis and diuresis rats (FEB 07790) *J.N. Kanfer, D.G. McCartney* 348
Effects of vasoactive intestinal contractor (VIC) and endothelin on intracellular calcium level in neuroblastoma NG108-15 cells (FEB 07791) *T. Fu, W. Chang, N. Ishida, K. Saida, Y. Mitsui, Y. Okano, Y. Nozawa* 351
Insertion of short hepatitis virus A amino acid sequences into poliovirus antigenic determinants results in viable progeny (FEB 07798) *E.D. Sverdlov, S.A. Tsarev, S.V. Markova, V.M. Rostapshov, T.L. Azhikina, I.P. Chernov, A.E. Gorbalenya, M.S. Kolesnikova, L.I. Romanova, N.L. Teterina, E.A. Tolskaya, V.I. Agol* 354
A type 2A protein phosphatase dephosphorylates the elongation factor 2 and is stimulated by the phorbol ester TPA in mouse epidermis in vivo (FEB 07784) *M. Gschwendt, W. Kittstein, G. Mieskes, F. Marks* 357
The dependence on intracellular ATP concentration of ATP-sensitive K-channels and of Na,K-ATPase in intact HIT-T15β-cells (FEB 07793) *I. Niki, F.M. Ashcroft, S.J.H. Ashcroft* 361
Variable number of repeat units in genes encoding *Trypanosoma cruzi* antigens (FEB 07794) *R.A. Macina, J.L. Affranchino, G.D. Pollevick, E.E. Jazin, A.C.C. Frasch* 365
Testing topological models for the membrane penetration of the fusion peptide of influenza virus hemagglutinin (FEB 07795) *J. Brunner* 369
Secondary structure prediction for RNA binding domain in RNP proteins identifies $\beta\alpha\beta$ as the main structural motif (FEB 07796) *A. Ghetti, C. Padovani, G. Di Cesare, C. Morandi* 373
The rat β_1-subunit of the $GABA_A$ receptor forms a picrotoxin-sensitive anion channel open in the absence of GABA (FEB 07799) *E. Sigel, R. Baur, P. Malherbe, H. Möhler* 377
Interaction of smooth muscle caldesmon with S-100 protein (FEB 07800) *E.V. Skripnikova, N.B. Gusev* 380
Differential allosteric effects of 8-(*N,N*-diethylamino)octyl-3,4,5-trimethoxybenzoate-HCl (TMB-8) on muscarinic receptor subtypes (FEB 07803) *R.K. Gordon, P.K. Chiang* 383
Putative N-terminal splitting enzyme of amyloid A4 peptides is the multicatalytic proteinase, ingensin, which is widely distributed in mammalian cells (FEB 07804) *S. Ishiura, T. Tsukahara, T. Tabira, H. Sugita* 388
Antisera against an acetylcholine receptor α3 fusion protein bind to ganglionic but not to brain nicotinic acetylcholine receptors (FEB 07781) *R. Schoepfer, S.W. Halvorsen, W.G. Conroy, P. Whiting, J. Lindstrom* 393
A cytocidal tissue kallikrein isolated from mouse submandibular glands (FEB 07785) *K. Murakami, H. Ikigai, N. Nagumo, M. Tomita, T. Shimamura* 400
A theoretical study of the acidification of the rhinovirus capsid (FEB 07792) *J. Warwicker* 403
Phosphorylation of caldesmon (FEB 07808) *J. -C. Abougou, M. Hagiwara, T. Hachiya, M. Terasawa, H. Hidaka, D.J. Hartshorne* 408
Maturation of nuclear lamin A involves a specific carboxy-terminal trimming, which removes the polyisoprenylation site from the precursor; implications for the structure of the nuclear lamina (FEB 07797) *K. Weber, U. Plessmann, P. Traub* 411
Parallel DNA: generation of a duplex between two *Drosophila* sequences in vitro (FEB 07801) *N.A. Tchurikov, B.K. Chernov, Yu.B. Golova, Yu.D. Nechipurenko* 415
P-glycoproteins encoded by *mdr1b* in murine gravid uterus and multidrug resistant tumor cell lines are differentially glycosylated (FEB 07802) *L.M. Greenberger, J.M. Croop, S.B. Horwitz, R.J. Arceci* 419
Enhancement of colony forming ability in the lung by transfer of the v-fos oncogene into a ras-transformed rat 3Y1 cell line (FEB 07805) *K. Nakamatsu, S. Taniguchi, G. Kimura, T. Baba* 422
Activation of protein kinase C alters the interaction of α_2-adrenoceptors and the inhibitory GTP-binding protein (G_i) in human platelets (FEB 07806) *J.A. García-Sáinz, G. Gutiérrez-Venegas* 427
Wheat germ agglutinin but not concanavalin A modulates protein kinase C-mediated phosphorylation of red cell skeletal proteins (FEB 07807) *Yu.N. Danilov, C.M. Cohen* 431
Protective effect of lipoproteins containing apoprotein A-I on Cu^{2+}-catalyzed oxidation of human low density lipoprotein (FEB 07809) *T. Ohta, K. Takata, S. Horiuchi, Y. Morino, I. Matsuda* 435
Human Na^+,K^+-ATPase genes: β-Subunit gene family contains at least one gene and one pseudogene (FEB 07810) *Yu.A. Ushkaryov, G.S. Monastyrskaya, N.E. Broude, N.N. Nikiforova, D.A. Bessarab, M.Yu. Orlova, K.E. Petrukhin, N.N. Modyanov, E.D. Sverdlov* 439
A cross-linked complex between horse pancreatic lipase and colipase (FEB 07811) *C. Chaillan, E. Rogalska, C. Chapus, D. Lombardo* 443
Colicin N and its thermolytic fragment induce phospholipid vesicle fusion (FEB 07812) *D. Massotte, F. Pattus* 447
Multiple GF-1 binding sites flank the erythroid specific transcription unit of the human carbonic anhydrase I gene (FEB 07813) *H.J.M. Brady, J.C. Sowden, M. Edwards, N. Lowe, P.H.W. Butterworth* 451
Adrenal chromaffin granules and secretory granules from thyroid parafollicular cells have several common antigens (FEB 07814) *R. Weiler, S. Cidon, M.D. Gershon, H. Tamir, R. Hogue-Angeletti, Hans Winkler* 457
Imaging of cell membraneous and cytoskeletal structures with a scanning tunneling microscope (FEB 07815) *J.P. Ruppersberg, J.K.H. Hörber, C. Gerber, G. Binnig* 460
Uni-site catalysis by *Escherichia coli* F_1-ATPase with different numbers of bound nucleotides (FEB 07816) *H. Hanada, T. Noumi, M. Maeda, M. Futai* 465

Author Index 468

Table of Contents 475

Notes to Authors 479